

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(terminal or DSL) same network same (multiplexer or DSLAM) same agent same (DHCP near1 server) same (forwarder or sender)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:59
S12	11	(network and (terminal or DSL) and (multiplexer or DSLAM) and agent and (DHCP near1 server) and (forwarder or sender))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:15
S16	2	"20030081614".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:51
S17	2	"6,301,229".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:53
S18	2	"20030061321".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:56
S19	2	"6,370,147".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 12:56
S20	175	(terminal or DSL) same (set\$4 or establish\$3) near1 connect\$3 with ISP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:17
S21	12	S20 and (multiplexer or DSLAM) and (DHCP near1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:13

S23	8	S20 same identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:17
S25	21	S20 and (DHCP near1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 13:43
S33	81	S20 and @py<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 14:02
S34	1	09/934,305	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 14:51
S36	2	"7020720".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 14:57
S37	175	(terminal or DSL) same (set\$4 or establish\$3) near1 connect\$3 with ISP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:17
S38	175	S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:17
S39	81	S37 and @py<"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:26
S40	81	S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:21
S41	7	S40 and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/04 18:22

S42	224	Multiplexer with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:37
S50	24	S42 and ISP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:52
S51	224	Multiplexer with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:52
S52	224	S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:53
S53	15	S52 same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:57
S54	2	"7058716".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 12:41
S55	2	"6829252".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 12:42
S56	2	"20040109477".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 12:50
S57	2	"6971046".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:22

S58	9	queu\$5 status monitor\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:25
S59	0	queu\$5 status monitor\$5 and dslam and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:35
S60	0	queu\$5 status monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:36
S61	1	queu\$5 monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:36
S62	0	queu\$5 status near12 monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:39
S63	13	queu\$5 near12 monitor\$5 and (dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/23 13:39
S64	1485	(dslam or digital subscriber line access multiplexer) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:12
S65	13	(dslam or digital subscriber line access multiplexer) and queu\$5 near12 monitor\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:12

S66	0	(dslam or digital subscriber line access multiplexer) and queue\$5 near12 monitor\$5 and cgest\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:13
S67	0	(dslam or digital subscriber line access multiplexer) and queue\$5 near12 monitor\$5 and cgest\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:13
S68	0	(dslam or digital subscriber line access multiplexer) and queue\$5 near12 monitor\$5 and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:31
S69	15	(dslam or digital subscriber line access multiplexer) and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 11:32
S70	96	compress\$5 same (response\$5 near3 signal or packet or data) and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:17
S71	25	compress\$5 same (response\$5 near3 signal or packet or data) and congest\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:18
S72	3	compress\$5 same response\$5 near3 (signal or packet or data) and congest\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:21
S73	3	compress\$5 same (response\$5 or acknowledge) near3 (signal or packet or data) and congest\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:25

S74	6	compress\$5 same (respon\$5 or acknowledge) near3 (signal or packet or data) and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:28
S75	103	compress\$5 same (signal or packet or data) and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:31
S76	28	compress\$5 same (signal or packet or data) and conges\$5 near3 control and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/10/30 17:32
S77	8	((compress\$5 same ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:08
S78	3	((compress\$5 same ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and multiplex\$5 and 370/229.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:09
S79	891	((compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:16
S80	86	((compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) with multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:16
S81	71	((compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) near8 multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:17

S82	44	((instruct\$5 or inform\$5 or signal\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) near8 multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:18
S83	3	((instruct\$5 or inform\$5 or signal\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) near8 multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:18
S84	6	((instruct\$5 or inform\$5 or signal\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:21
S85	19	(compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) with multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:23
S86	0	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:30
S87	0	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:31

S88	85	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:31
S89	0	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) same multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:32
S90	24	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:32
S91	9	((receiver\$5 or sink or destinat\$5) near8 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 11:32
S92	15	(compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data))) near8 multiplex\$5 and "370"/\$.ccls. and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:25
S93	0	(receiver near6 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) with multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:28
S94	15	(receiver near6 (compress\$5 near8 ((respon\$5 or ack or acknowledg\$5) near3 (signal or packet or data)))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:29



S95	66	(receiver near6 (compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:34
S96	48	(receiver near3 (compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:34
S97	45	(receiver near2 (compress\$5 near8 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data)))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:37
S98	0	(compress\$5 near4 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:44
S99	0	(compress\$5 near5 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:45
S100	816	(compress\$5 near6 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) and multiplex\$5 and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:45
S101	2516	(compress\$5 near3 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:45
S102	28	(compress\$5 near3 ((respon\$5 or ack or acknowledged\$5) near3 (signal or packet or data))) same (tcp or transmis\$5 control protocol) and @ad<"20021204"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 12:46

S103	2	"20040109477".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/10/05 16:43
------	---	--------------------	---	-----	-----	---------------------

**10/ 6/ 2009 8:14:59 AM****C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10718692.wsp**